

RAJA III

Dense curtain fabric in pure raw silk. Eye-catching in this connoisseur item are the liberal, dense and even plain weave texture and its refined silk sheen. Slight nuances in the yarn set this piece dyed fabric apart. The effect underlines and enhances the fabric's vivid expression and natural beauty.



Use:	Dense curtain fabric
Number of colours:	12
Special colours:	- from 200 m / 220 yds without surcharge.
Material:	100% Silk
Fabric width:	135 cm/53 inch/1.48 yard
Weight:	257 g/m ²
Additional use:	
Care:	
Dry cleaning (length shrinkage):	1.5%
Light fastness:	see downloads
Certificates / tests:	Lightfastness certificate Special notes

*all testing reports can be downloaded from our website under product details

Special notes:

- Because silk is not light resistant we recommend that this item is lined.
- Swellings in yarn and variations in colour and texture are characteristics of silk and bestow the fabric its natural beauty.



RAJA III



Col. 0601



Col. 0602



Col. 0603



Col. 0609



Col. 0612



Col. 0621



Col. 0622



Col. 0623



Col. 0624



Col. 0625



Col. 0626



Col. 0627



Col. 0628



Col. 0629



Col. 0630



Col. 0631



Col. 0632



Col. 0651



Col. 0652



Col. 0653



Col. 0654



Col. 0655



Col. 0656



Col. 0657

Note:

Colours may vary. Please ask for our colour samples.

* As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroaded (only valid for curtains)
	Has to be railroaded
	Must not be railroaded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m2)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light transmission level Tv, n-nn
	light transmission level Tv, n-dif
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

AC	Acetate
CA	Hemp
CO	Cotton
EA	Elasthan
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PI	Paper
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

	Curtains/Sheers		Fabrics with very high lightfastness for indoor and outdoor use
	Roller blinds (colours see separate roller blind collection)		Blackout
	Panels (process the panels in warp direction to get optimal hang properties)		Reverso
	Vertical blinds		Plissé
	Roman blinds		Comb plissé
	Upholstery (for heavy use in contract application). Martindale > 30'000		
	Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000		
	Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000		
	Loose cover for careful use in domestic application. Martindale < 5'000		
	Bedspreads		
	Table cloth domestic use		
	Wallcovering		
	Textile wallpaper (can be paper backed, minimum quantity)		
	Cushion		
	Acoustical fabrics		
	Adhesive Textiles/Gecko/Gecko in the Box		