


SHADOW II FR -300 R

Roller blind fabric; The aluminium metallised, screen like weave offers efficient protection against sun and glare, whilst affording optimised vistas to the outside. The exclusive roller blind width of 290 cm with aluminium coating on the reverse continues to reign supreme in the contract sector. An ideal solution for controlling light in public and residential interiors.



Use:	Roller blinds
Number of colours:	7
Special colours:	
Material:	100% Flameretardant polyester
Fabric width:	300 cm/118 inch/3.28 yard
Max. width of the system:	290 cm/114 inch/3.17 yard
Max. height of the system:	400 cm/157 inch/4.37 yard
Weight:	132 g/m ²
Flame-retardant properties:	 Certificate on request
Additional use:	
Care:	Cleaning by a recommended specialist cleaner
Light fastness:	see downloads
Certificates / tests:	Light transmission DIN EN 410 Lightfastness certificate
*all testing reports can be downloaded from our website under product details	
Special notes:	- The metallised side must be used against the window to fully develop the specific properties of the textile. - Light transmission degree: 13 - 16% - Light reflection degree: 42 - 44%



SHADOW II FR -300 R



Col. 7162



Col. 7164



Col. 7165



Col. 7166



Col. 7167



Col. 7168



Col. 7169

Note:

Colours may vary. Please ask for our colour samples.

* As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroaded (only valid for curtains)
	Has to be railroaded
	Must not be railroaded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m2)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light transmission level Tv, n-nn
	light transmission level Tv, n-dif
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

AC	Acetate
CA	Hemp
CO	Cotton
EA	Elasthan
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PI	Paper
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

	Curtains/Sheers		Fabrics with very high lightfastness for indoor and outdoor use
	Roller blinds (colours see separate roller blind collection)		Blackout
	Panels (process the panels in warp direction to get optimal hang properties)		Reverso
	Vertical blinds		Plissé
	Roman blinds		Comb plissé
	Upholstery (for heavy use in contract application). Martindale > 30'000		
	Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000		
	Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000		
	Loose cover for careful use in domestic application. Martindale < 5'000		
	Bedspreads		
	Table cloth domestic use		
	Wallcovering		
	Textile wallpaper (can be paper backed, minimum quantity)		
	Cushion		
	Acoustical fabrics		
	Adhesive Textiles/Gecko/Gecko in the Box		