



USUS III

Dense curtain fabric; Best seller with delicate rib texture for very diverse applications. Usus has been colour overhauled and captivates with an universal and colour rich spectrum. The colour palette of 39 hues encompasses purist and natural shades as well as classic and earthy tones.



Use:	Dense curtain fabric
Number of colours:	39
Special colours:	- from 240 m / 260 yds without surcharge.
Material:	100% Flameretardant polyester (Trevira CS)
Fabric width:	150 cm/59 inch/1.64 yard
Weight:	295 g/m ²
Flame-retardant properties:	
Additional use:	
Care:	
Washing (length shrinkage):	0.5 %
Dry cleaning (length shrinkage):	1 %
Sound absorption:	Alpha value 0.65
Abrasion resistance:	28'000 Martindale
Pilling:	4
Light fastness:	see downloads
Certificates / tests:	Fire Test DIN 4102 B1 Fire Test Italian Fire Test Japan Sound absorption Flow resistance Lightfastness certificate Free from harmful substances / Oddo
Special notes:	- For multifarious applications.

*all testing reports can be downloaded from our website under product details



USUS III



Col. 0156




Col. 0167



Col. 0168



Col. 0170



Col. 0173



Col. 0203



Col. 0206



Col. 0208



Col. 0209



Col. 0211



Col. 0213



Col. 0214




Col. 0217



Col. 0224



Col. 0301



Col. 0302



Col. 0303



Col. 0304



Col. 0305



Col. 0306




Col. 0307



Col. 0308



Col. 0309



Col. 0310



Col. 0311



Col. 0312



Col. 0313




Col. 0314



Col. 0315



Col. 0316



Col. 0317



Col. 0318



Col. 0319



Col. 0320



Col. 0321



Col. 0322



Col. 0323



Col. 0324



Col. 0325

Note:

Colours may vary. Please ask for our colour samples.

* As long as stock lasts

SYMBOLS AND PRODUCT INFORMATION

Product information

	Inherently flame retardant
	Width (cm)
	Can be railroaded (only valid for curtains)
	Has to be railroaded
	Must not be railroaded
	Repeat in warp direction
	Repeat in weft direction
	Weight (g/m2)
	Yarn dyed
	Piece dyed
	Knitted
	Woven
	Warp print
	Screen print/burnout
	Metalized on one side
	Pearl reflex

	Free from harmful substances / Oddy
	Antimicrobial (counteracts colonisation and multiplying of micro organisms and odours.)
	light transmission level Tv, n-h
	light transmission level Tv, n-nn
	light transmission level Tv, n-dif
	light reflection level Pv, n-h
	light absorption level Av
	UV transmission level Tuv
	solar transmission level Te, n-h
	solar reflection level Pe, n-h
	solar absorption level Ae
	Usable in a bathroom/wet room (Plissee)
	Stain resistant (Plissee)
	Various articles are only available in complete picture repeats. The price is quoted per repeat in each case.
	Additional product information

Material information

AC	Acetate
CA	Hemp
CO	Cotton
EA	Elasthan
GL	Glass fibre
LI	Linen
MD	Modal
ME	Metal
PA	Polyamide
PC	Acrylic
PE	Polyethylene
PI	Paper
PL	Polyester
PLF	Flameretardant polyester
PLF CS	Flameretardant polyester (Trevira CS)
PN	Polycarbonat
PP	Polypropylene
PU	Polyurethan
RA	Ramie
SE	Silk
SI	Silicone
TR	Different material (wood, paper, feathers etc.)
VI	Viscose
WM	Wool Mohair
WV	Wool

SYMBOLS AND PRODUCT INFORMATION

Intended purposes

	Curtains/Sheers		Fabrics with very high lightfastness for indoor and outdoor use
	Roller blinds (colours see separate roller blind collection)		Blackout
	Panels (process the panels in warp direction to get optimal hang properties)		Reverso
	Vertical blinds		Plissé
	Roman blinds		Comb plissé
	Upholstery (for heavy use in contract application). Martindale > 30'000		
	Upholstery (for heavy use in domestic application/for normal use in contract application). 20'000 < Martindale < 30'000		
	Upholstery (for normal use in domestic application/for careful use in contract application). Martindale < 20'000		
	Loose cover for careful use in domestic application. Martindale < 5'000		
	Bedspreads		
	Table cloth domestic use		
	Wallcovering		
	Textile wallpaper (can be paper backed, minimum quantity)		
	Cushion		
	Acoustical fabrics		
	Adhesive Textiles/Gecko/Gecko in the Box		